# What's in those Blood Tests

# By Suzanne Stack, D.V.M.

## **Blood Tests**

When your veterinarian sends your greyhound's blood to a lab he is most commonly asking the lab (Complete Blood Count). This common analysis covers these items:

- RBC = Red Blood Cells
- Hgb = Hemoglobin
- PCV / HCT = Packed Cell Volume/Hematocrit
- WBC = White Blood Cells

# **Platelets**

For a more in-depth look, usually to determine kidney/liver functions, the veterinarian may also as Panel". This will give them information about:

- T.P. = Total Protein Globulin
- Creatinine
- T4 (Thyroid)

If you don't understand what your veterinarian has ordered, ask.

Greyhound bloodwork has enough differences from "other dog" bloodwork to sometimes make it a "normal" or "abnormal" if one isn't familiar with these differences. The salient differences are disc

# **Greyhounds:**

RBC: 7.4-9.0Hgb: 19.0-21.5PCV: 55-65

#### **Other Breeds:**

RBC: 5.5-8.5Hgb: 12.0-18.0PCV: 37-55

Greyhounds have significantly more red blood cells than other breeds. This elevates parameters for hemoglobin, and PCV/HCT, and is the reason greyhounds are so desirable as blood donors. Most v aware of this difference.

Never accept a diagnosis of polycythemia — a once-in-a-lifetime-rare diagnosis of pathologic red overproduction — in a greyhound.

Conversely, never interpret a greyhound PCV in the 30's-40's as being normal just because it is for greyhound with a PCV in the 30's-40's is an anemic greyhound. Here in Arizona, a greyhound PC' is a red flag to check for Ehrlichia.

## **WBC**

Greyhound: 3.5-6.5Other dog: 6.0-17.0

Other greyhound CBC changes are less well known. The greyhound's normally low WBC has caus one healthy greyhound to undergo a bone marrow biopsy in search of "cancer" or some other cause

WBC."

#### **Platelets**

Greyhound: 80,000-200,000Other dog: 150,000-400,000

Likewise, greyhound platelet numbers are lower on average than other breeds, which might be mis interpreted as a problem. It is thought that greyhound WBCs, platelets, and total protein may be low physiologically "make room" in the bloodstream for the increased red cell load.

Compounding these normally low WBC and platelet numbers is the fact that Ehrlichia, a common of greyhounds, can lower WBC and platelet counts. So if there is any doubt as to whether the WBC counts are normal, an Ehrlichia titer is always in order. The other classic changes with Ehrlichia are and elevated total protein. But bear in mind that every greyhound will not have every change, and I greyhounds can have normal CBCs.

### T.P. & Globulin

• Greyhound TP: 4.5-6.

• Other dog TP: 5.4-7.8

Greyhound Globulin: 2.1-3.2Other dog Globulin: 2.8-4.2

Greyhound total proteins tend to run on the low end of normal — T.P.s in the 5.0's and 6.0's are the albumin fraction of T.P. is the same as other dogs, the globulin component is lower.

#### Creatinine

Greyhound: .8-1.6Other dogs: .0-1.0

Greyhound creatinines run higher than other breeds as a function of their large lean muscle mass. A Auburn University College of Veterinary Medicine found that 80% of retired greyhounds they sam creatinine values above the standard reference range for "other dogs." As a lone finding, an "elevat is not indicative of impending kidney failure. If the BUN and urinalysis are normal, so is the "elevating the standard reference range" and urinalysis are normal, so is the "elevating the standard reference" and the standard reference range for "other dogs." As a lone finding, an "elevating the standard reference" and the standard reference range for "other dogs." As a lone finding, an "elevating reference" and the standard reference range for "other dogs." As a lone finding, an "elevating reference" and the standard reference range for "other dogs." As a lone finding the standard reference range for "other dogs." As a lone finding the standard reference range for "other dogs." As a lone finding the standard reference range for "other dogs." As a lone finding the standard reference range for "other dogs." As a lone finding the standard reference range for "other dogs."

# **T4**

• Greyhound: .5-3.6 (mean 1.47+/- .63)

• Other dogs: 1.52-3.60

These figures are from a University of Florida study of thyroid function in 221 greyhounds — 97 r broods, and 25 studs — so it included both racers and "retired." While greyhound thyroid levels are chapter unto themselves, a good rule of thumb is that greyhound T4s run about half that of other br

# **Urinalysis**

And lastly, the good news — greyhound urinalysis is the same as other breeds. It is normal for mal to moderate amounts of bilirubin in the urine.

Sources: M.R. Herron, DVM, ACVS, Clinical Pathology of the Racing Greyhound, 1991. C. Guillermo Couto, DVM, & "Managing Thrombocytopenia in Dogs & Cats," Veterinary Medicine, May 1999. J.Steiss, DVM, W. Brewer, DVM, E Wright, DVM, "Hematologic & Serum Biochemical Reference Values in Retired Greyhounds," Compendium on Conti March 2000. M. Bloomberg, DVM, MS, "Thyroid Function of the Racing Greyhound," University of Florida, 1987. D ACVIM, Veterinary Information Network, 2001.